

OUTLET PLATE CONFIGURATIONS

All available outlet plates are shown below. Our most popular outlet plates are shown first, with available options next:

1. Double outlet plates
 - I. Most popular
 - II. Options
2. Single outlet plates
 - I. Most popular
 - II. Options
3. Sockets
 - I. UK and non-UK



Bespoke plates

Virtually any plate request can be accommodated, including non-standard sockets and dished & angled plates to provide increased plug-top space. Staggered power plates provide space for moulded plug-tops

Outlet plates can also be supplied in stainless steel or brass, with bespoke finishes, i.e. antique brass, antique bronze, jordan bronze, powder-coated




DOUBLE OUTLET PLATES

Most popular

KEY

- 55+**for shallower 55mm and 65mm base boxes (side-wired)
- 85+**for deeper 85mm and 120mm base boxes
- 85+(65)**Ideal for deeper 85mm and 120mm base boxes but can work with 65mm base boxes depending on module

RELEVANT PRODUCT	2000	2000	500/ 700/ MINIMA	700/ MINIMA	700/ MINIMA	700/ MINIMA	700/ MINIMA	700/ MINIMA	IP65 box: (Base box: 700 = 85mm & 120mm; Minima = 120mm)
#COMPARTMENTS (c) / OUTLET PLATES	3	4	1-4	1	2 and 3	3	1	2	1-4
SHAPE (Rectangular=Rect; Square=Sq; Round=Rd; Round retro=RdRet)	Rect	Rect	Rect	Sq/Rd	Sq/Rd/ RdRet	Sq	RdRet	RdRet	Rect/Sq
RELEVANT MODEL	3c	4c	ALL	Sq: 150x150mm, Rd: 127mm	Sq: 200x 200mm; Rd: 193mm & 289mm; RdRet: 289mm	Sq: 300x 300mm	RdRet: 127mm	RdRet: 193mm	ALL Rect, Sq: 300x300mm
	2x 13A switched 85+	2354	2454	554		7RO54	554		7RO54
	2x 13A switched - side wired 55+	2354S	2454S	554-S		7RO54-S	554-S		
	2x single 13A switched WANDSWORTH sockets - side- wired 55+			574			574		
	2x 13A switched with 2x USB-A 85+	2354- 2USB	2454- 2USB	554- 2USB		7RO54- 2USB	554- 2USB		7RO54-2USB
	2x 13A switched 1x USB-A & 1x USB-C 85+			554- USBAC		7RO54- USBAC	554- USBAC		7RO54-USBAC
	2x Euromod 50x50 module 85+(65)	2359	2459	559		7RO59	559		7RO59
	2x 13A witch latching RCD 85+	2361		561		7RO61	561	7RO-R61 (no divider)	7RO61
	2x 5A unswitched	2376	2476	576		7RO76	576	7RO- R76	7RO76
	1x Twin 13A switched & 1x Single 5A 85+			577			557		
	1x Twin 13A switched & 1x Single 5A - side wired 55+			577S			557S		
	2x 13A switched with 1x 5A socket & 2x USB-A sockets 85+			577- 2USB			577- 2USB		
	4x LJ6C cut outs (22.4x36.4mm) 85+(55)	2391	2491	591		7RO91	591	7RO-R91	7RO91
	Bespoke plates available								

DOUBLE OUTLET PLATES

Options

KEY

- 55+** for shallower 55mm and 65mm base boxes (side-wired)
- 85+** for deeper 85mm and 120mm base boxes
- 85+(65)** Ideal for deeper 85mm and 120mm base boxes but can work with 65mm base boxes depending on module

RELEVANT PRODUCT		2000	2000	500/ 700/ MINIMA	700/ MINIMA	700/ MINIMA	700/ MINIMA	700/ MINIMA	700/ MINIMA	IP65 box: (Base box: 700 = 85mm & 120mm; Minima = 120mm)
#COMPARTMENTS (c) / OUTLET PLATES		3	4	1-4	1	2 and 3	3	1	2	1-4
SHAPE (Rectangular=Rect; Square=Sq; Round=Rd; Round retro=RdRet)		Rect	Rect	Rect	Sq/Rd	Sq/Rd/ RdRet	Sq	RdRet	RdRet	Rect/Sq
RELEVANT MODEL		3c	4c	ALL	Sq: 150x150mm, Rd: 127mm	Sq: 200x 200mm; Rd: 193mm & 289mm; RdRet: 289mm	Sq: 300x 300mm	RdRet: 127mm	RdRet: 193mm	ALL Rect, Sq: 300x300mm
	Blank Plate double	2301	2401	501		7RO01	501		7RO-R01	7RO01
	2x 13A unswitched			573		7RO55	573		7RO- R13A	
	2x standard 1 gang apertures	2358		558			558			
	2x standard 1 gang apertures - dished 85+			558D			558D			
	3x Euromod 50x50 module 85+(65)			559-S			559-S			
	1x Single 13A switched & 1x 1 gang aperture			575			575			
	1x 13A switched & 1x euromod 50x50 module 85+			578		7RO78	578			
	1x 13A switched & 1x euromod 50x50 module - side-wired 55+			578-S			578-S			
	1x standard 2 gang aperture	2386		586			586			

DOUBLE OUTLET PLATES

Options

KEY

- 55+** for shallower 55mm and 65mm base boxes (side-wired)
- 85+** for deeper 85mm and 120mm base boxes
- 85+(65)** Ideal for deeper 85mm and 120mm base boxes but can work with 65mm base boxes depending on module

RELEVANT PRODUCT	2000	2000	500/ 700/ MINIMA	700/ MINIMA	700/ MINIMA	700/ MINIMA	700/ MINIMA	700/ MINIMA	IP65 box: (Base box: 700 = 85mm & 120mm; Minima = 120mm)
#COMPARTMENTS (c) / OUTLET PLATES	3	4	1-4	1	2 and 3	3	1	2	1-4
SHAPE (Rectangular=Rect; Square=Sq; Round=Rd; Round retro=RdRet)	Rect	Rect	Rect	Sq/Rd	Sq/Rd/ RdRet	Sq	RdRet	RdRet	Rect/Sq
RELEVANT MODEL	3c	4c	ALL	Sq: 150x150mm, Rd: 127mm	Sq: 200x 200mm; Rd: 193mm & 289mm; RdRet: 289mm	Sq: 300x 300mm	RdRet: 127mm	RdRet: 193mm	ALL Rect, Sq: 300x300mm
	1x standard 2 gang aperture 85+		586D			586D			
	3x 13A switched 85+		588			588			
	3x 13A switched - side wired 85+		588S			588S			
	3x 13A unswitched 85+	2390	2490	590		590			
	3x 13A unswitched - side wired 55+		590-S			590-S			
	6x LJ6C cut outs (22.4x36.4mm) 85+(65)	2391S	2491S	591-S		7RO-91S	591-S		7RO91S
	4x LJ6C cut outs angled plates 85+	2393	2493	593		593			
	Plate to accept 1x US Decora duplex panel mount 85+		571		7RO71	571		7RO-R71	7RO71

SINGLE OUTLET PLATES

Most popular

KEY

- 55+**for shallower 55mm and 65mm base boxes (side-wired)
- 85+**for deeper 85mm and 120mm base boxes
- 85+(65)**Ideal for deeper 85mm and 120mm base boxes but can work with 65mm base boxes depending on module


RELEVANT PRODUCT	2000	2000	500/ 700/ MINIMA	700/ MINIMA	700/ MINIMA	700/ MINIMA	700/ MINIMA	700/ MINIMA	IP65 box: (Base box: 700 = 85mm & 120mm; Minima = 120mm)
#COMPARTMENTS (c) / OUTLET PLATES	3	4	1-4	1	2 and 3	3	1	2	1-4
SHAPE (Rectangular=Rect; Square=Sq; Round=Rd; Round retro=RdRet)	Rect	Rect	Rect	Sq/Rd	Sq/Rd/ RdRet	Sq	RdRet	RdRet	Rect/Sq
RELEVANT MODEL	3c	4c	ALL	Sq: 150x150mm, Rd: 127mm	Sq: 200x 200mm; Rd: 193mm & 289mm; RdRet: 289mm	Sq: 300x 300mm	RdRet: 127mm	RdRet: 193mm	ALL Rect, Sq: 300x300mm
	1x 13A switched 85+			7RS-75W					
	1x 13A switched - side wired 55+			7RS-75S					
	1x 13A switched with USB-A 85+			7RS-75USB					
	1x Euromod 50x50 module 85+(65)			7RS-59			7RS- R59	7RO- R59	
	1x 5A unswitched		557	7RS-5AMP	7RO57	557	7RS-R- 76	7RO- R5AMP	
	2x LJ6C cut outs (22.4x36.4mm) 85+(65)			7RS-91			7RS- R91		

SINGLE OUTLET PLATES

Options

KEY

- 55+**for shallower 55mm and 65mm base boxes (side-wired)
- 85+**for deeper 85mm and 120mm base boxes
- 85+(65)** Ideal for deeper 85mm and 120mm base boxes but can work with 65mm base boxes depending on module

RELEVANT PRODUCT	2000	2000	500/ 700/ MINIMA	700/ MINIMA	700/ MINIMA	700/ MINIMA	700/ MINIMA	700/ MINIMA	IP65 box: (Base box: 700 = 85mm & 120mm; Minima = 120mm)
#COMPARTMENTS (c) / OUTLET PLATES	3	4	1-4	1	2 and 3	3	1	2	1-4
SHAPE (Rectangular=Rect; Square=Sq; Round=Rd; Round retro=RdRet)	Rect	Rect	Rect	Sq/Rd	Sq/Rd/ RdRet	Sq	RdRet	RdRet	Rect/Sq
RELEVANT MODEL	3c	4c	ALL	Sq: 150x150mm, Rd: 127mm	Sq: 200x 200mm; Rd: 193mm & 289mm; RdRet: 289mm	Sq: 300x 300mm	RdRet: 127mm	RdRet: 193mm	ALL Rect, Sq: 300x300mm
	Blank Plate single			7RS01			7RS- R01		
	1x 13A unswitched 85+(65)			7RS-13A			7RS- R13A		
	1x standard 1 gang aperture			7RS- 581GAN					
	1x 13A unswitched & 1x LJ6C cut out 85+(65)			7RS-13RJ					

SOCKETS

UK sockets			
	MM010 UK socket outlet 13amp (unswitched)		M2/3210-109 UK Round pin socket module 5amp
Non-UK sockets			
	PE537 French/Belgian (shuttered) socket module 16amp		MM020 European Schuko socket module 16amp