700 FLOOR BOX

Round, Retrofit, Trim Flange - Stainless Steel/Brass

Classic • With CD logo • Solid-cast handle & flap • Made-to-order • Discreet

LID

- Robust lid made of brass or stainless steel
- Lid with made to order lid recess. Recess depths of 3mm-30mm to match exact final floor depth and adhesive required and ensure perfectly-level final floor
- Solid-cast handle and flap with discreet CD logo (1 outlet flap as standard)
- Lid-frame with trim flange. *Trimless lid-frame as standard.* Trim flange is cosmetic only and not load-bearing. It can be used to cover expansion gaps/inaccurate cutting
- Trim flange is proud of floor but can be rebated-in by installer to make flush with surrounding floor
- Special finishes: Antique Bronze, Jordan Bronze, Antique Brass, Vintage Copper, powder-coated to RAL colour of choice, mirrored
- Extra strength lid and flat lid *available as options*

Stainless steel

FLOOR BOX

- Round. Rectangular and Square also available as standard
- 4 sizes of lid ranging from 127mm to 289mm diameter, each with 3 standard-depth base box options. Bespoke shapes & sizes possible. Round lid fits on hexagonal/octagonal base boxes
- 1-3 compartments per floor box, matched to number of outlet plates
- Large choice of outlet plate configurations. Floor boxes can fit between 1-3 outlet plates

Brass

BASE BOX

- Height adjustable inner frame gives perfect on-site levelling
- 4 standard base box set-ups of 65mm, 85mm and 120mm *(see dimension A)*
- Fixed plug-top space of 28mm to 68mm, depending on base box depth
- Wiring space varies depending on base box depth and plug-top space required
- Robust base box made of galvanised steel. Needs site support in suspended floor set-up when final floor is already laid
- Conduit cable feed only, as standard
- Retrofit base box used if floor box installed after final floor or if poured finish (i.e. polished screed or poured terrazzo). Standard assembly floor box required if installing base box before final floor fitted and if solid floor

Trimless shown

020 8683 1126 | sales@cableductuk.com | www.cableductuk.com

Cableduct Limited, 30 Selhurst Road, London SE25 5QF. Registered Company Number 00364046

PRODUCT RANGE

Product Name	No. of compartments/ outlet plates	Base box set-up (mm deep)	Plug top space - max (fixed) (mm)	Base box size (mm)	Lid-Frame size (mm)	Feed type	Recess: Min-Max (mm)
		A	**B**	**C1 x C2**	**D**	**E**	**F**
SBOX-7RSR-65	1	65	28	127x127	127	Conduit	3-30
SBOX-7RSR-85	1	85	38	127x127	127		3-30
SBOX-7RSR-120	1	120	68	127x127	127		3-30
SBOX-7RMR-85	1	85	33	169x169	169		3-30
SBOX-7RMR-120	1	120	68	169x169	169		3-30
SBOX-7ROR-85	2	85	38	193x193	193		3-30
SBOX-7ROR-120	2	120	68	193x193	193		3-30
SBOX-7RLR-65	3	65	28	289x289	289		3-30
SBOX-7RLR-85	3	85	28	289x289	289		3-30
SBOX-7RLR-120	3	120	68	289x289	289		3-30





OUTLET PLATE CONFIGURATIONS FOR POWER & DATA

KEY

65+	for shallower 65mm base boxes (side-wired)
85+	for deeper 85mm and 120mm base boxes
85+(65)	for deeper 85mm and 120mm base boxes but can work with 65mm base boxes depending on module
3c	for 3 compartment boxes only
3c(2c)	2 compartment has 1 module only

Double outlet plates

Outlet plates (3c=161x75mm; 2c=122x62mm; 169mm/RM=124x82mm)	Ref.	Outlet plates (3c=161x75mm; 2c=122x62mm; 169mm/RM=124x82mm)	Ref.
2x Euromod 50x50 module **85+(65), 3c(2c)**	7RO-59; 7ROR59 7RM-R59	4x LJ6C cut outs (22.4x36.4mm) **85+(65)**	7RO91; 7RO-R91 7RM-R91
2x 5A unswitched	7RO-76; 7RO-R76 7RM-R76	2x 13A switched **85+, 65+, 3c**	7RO54 7RM-R54
2x 13A switched with 2x USB-A **85+, 3c**	7RO54-2USB	2x 13A switched 1x USB-A & 1x USB-C **85+, 3c**	7RO54-USBAC 7RM-R54-USBAC
2x 13A with latching RCD **85+**	7RO61; 7RO-R61	2x 13A unswitched	7RO-R13A 7RM-R73
Blank Plate double	7RO-01; 7RO-R01 7RM-R01	Plate to accept 1x US Decora duplex panel mount **85+**	7RO71; 7RO-R71 7RM-R71
1x 13A switched & 1x euromod 50x50 module **85+, 65+, 3c**	7RO78	1x 5A + 1x Euro **85+ (65)**	7RM-R5EURO
1x 13A Unswitched & 1x euromod 50x50 module **85+ (65)**	7RM-R78-UNSWITCH	1x 13A Unswitched + 1x 5A	7RM-R77-UNSWITCH
 1x 13A Unswitched + 2x LJ6C **85+**	7RM-R13RJ-UNSWITCH	Bespoke plates available	

Single outlet plates

Outlet plates (80x73mm; 169mm/RM=124x82mm)	Ref.	Outlet plates (80x73mm; 169mm/RM=124x82mm)	Ref.
1x Euromod 50x50 module **85+(65)**	7RS-R59 7RM-R59-SINGLE	1x 5A unswitched	7RS-R76 7RM-R57
2x LJ6C cut outs (22.4x36.4mm) **85+(65)**	7RS-R91 7RM-R91-SINGLE	Blank Plate single	7RS-R01
1x 13A unswitched **85+(65)**	7RS-R13A 7RM-R13A	1x13A switched **85+(65)**	7RM-R75W
1x13A switched with USB-A **(85+)**	7RM-R75-USB		

SHAPE

Rectangular **(as standard)**

Square **(as standard)**

Bespoke

FINISH

Standard finishes

Satin Brass

Satin Stainless Steel

Special finishes

Antique Bronze lacquer finish

Jordan Bronze lacquer finish



Antique Brass lacquer finish



Vintage Copper lacquer finish

Powdercoat finish to most RAL colours, including: Bronze, Black

Mirror polished stainless steel

Mirror polished brass

OPTIONS

Mousehole cable exit

Flat lid (metal top; no recess)

Extra strength lid

Standard Assembly



Trimless