

Certificate of Conformity

This is to certify that:

Cableduct Limited
30 Selhurst Road
London
Greater London
SE25 5QF
United Kingdom

Holds Certificate Number:

CNF 823790

In respect of:

BS EN 60670-23:2008 Boxes and enclosures for electrical accessories for household and similar fixed electrical installations — Part 23: Particular requirements for floor boxes and enclosures

Following conformity assessment of test reports supplied by BSI



For and on behalf of BSI:

Shahm Barhom, Group Product Certification Director

First Issued: 2025-08-22

Latest Issue: 2025-08-22

Effective Date: 2025-08-22

Expiry Date: 2026-08-21

Page: 1 of 7

Certificate of Conformity

No. CNF 823790

BS EN 60670-23:2008
700 series Floor Box

Composite construction, for installation in floors subjected to dry treatment, -5 °C to +60 °C, removable lid.

Report number(s): 30378183 (GJW2025-1084BSI-1)

Product Code		Number of compartments/ outlet plates	Lid-frame size (mm)	Base box depth (mm)
Stainless Steel	Brass			
SBOX-7S6-STST	SBOX-7S6-BR	1	150 x 150	65
SBOX-7S8-STST	SBOX-7S8-BR	1	150 x 150	85
SBOX-7S2-STST	SBOX-7S2-BR	1	150 x 150	120
SBOX-716-STST	SBOX-716-BR	1	250 x 148	65
SBOX-718-STST	SBOX-718-BR	1	250 x 148	85
SBOX-712-STST	SBOX-712-BR	1	250 x 148	120
SBOX-7M6-STST	SBOX-7M6-BR	2	200 x 200	65
SBOX-7M8-STST	SBOX-7M8-BR	2	200 x 200	85
SBOX-7M2-STST	SBOX-7M2-BR	2	200 x 200	120
SBOX-726-STST	SBOX-726-BR	2	233 x 250	65
SBOX-728-STST	SBOX-728-BR	2	233 x 250	85
SBOX-722-STST	SBOX-722-BR	2	233 x 250	120
SBOX-736-STST	SBOX-736-BR	3	320 x 250	65
SBOX-738-STST	SBOX-738-BR	3	320 x 250	85
SBOX-732-STST	SBOX-732-BR	3	320 x 250	120
SBOX-706-STST	SBOX-706-BR	3	300 x 300	65
SBOX-708-STST	SBOX-708-BR	3	300 x 300	85
SBOX-702-STST	SBOX-702-BR	3	300 x 300	120
SBOX-746-STST	SBOX-746-BR	4	407 x 250	65
SBOX-748-STST	SBOX-748-BR	4	407 x 250	85
SBOX-742-STST	SBOX-742-BR	4	407 x 250	120

First Issued: 2025-08-22

Latest Issue: 2025-08-22

Effective Date: 2025-08-22

Expiry Date: 2026-08-21

Page: 2 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Certificate of Conformity

No. CNF 823790

BS EN 60670-23:2008
700 series Floor Box (continued)

Product Code		Number of compartments/ outlet plates	Lid-frame size (mm)	Base box depth (mm)
Stainless Steel	Brass			
SBOX-7RLR-65-ST	SBOX-7RLR-65-BR	3	289	65
SBOX-7RLR-85-ST	SBOX-7RLR-85-BR	3	289	85
SBOX-7RLR-120-ST	SBOX-7RLR-120-BR	3	289	120
SBOX-7RL-65-ST	SBOX-7RL-65-BR	3	289	65
SBOX-7RL-85-ST	SBOX-7RL-85-BR	3	289	85
SBOX-7RL-120-ST	SBOX-7RL-120-BR	3	289	120
SBOX-7ROR-85-ST	SBOX-7ROR-85-BR	2	193	85
SBOX-7ROR-120-ST	SBOX-7ROR-120-BR	2	193	120
SBOX-7RO-85-ST	SBOX-7RO-85-BR	2	193	85
SBOX-7RO-120-ST	SBOX-7RO-120-BR	2	193	120
SBOX-7RSR-65-ST	SBOX-7RSR-65-BR	1	127	65
SBOX-7RSR-85-ST	SBOX-7RSR-85-BR	1	127	85
SBOX-7RSR-120-ST	SBOX-7RSR-120-BR	1	127	120
SBOX-7RS-65-ST	SBOX-7RS-65-BR	1	127	65
SBOX-7RS-85-ST	SBOX-7RS-85-BR	1	127	85
SBOX-7RS-120-ST	SBOX-7RS-120-BR	1	127	120

First Issued: 2025-08-22
Latest Issue: 2025-08-22

Effective Date: 2025-08-22
Expiry Date: 2026-08-21

Page: 3 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Certificate of Conformity

No. CNF 823790

BS EN 60670-23:2008
Minima series Floor Box

Composite construction, for installation in floors subjected to dry treatment, -5 °C to +60 °C, removable lid.

Report number(s): 30378183 (GJW2025-1084BSI-2)

Product Code		Number of compartments/ outlet plates	Lid-frame size (mm)	Base box depth (mm)
Stainless Steel	Brass			
MIN-MS6C-ST	MIN-MS6C-BR	1	150 x 150	65
MIN-MS8C-ST	MIN-MS8C-BR	1	150 x 150	85
MIN-MS2C-ST	MIN-MS2C-BR	1	150 x 150	120
MIN-M16C-ST	MIN-M16C-BR	1	250 x 148	65
MIN-M18C-ST	MIN-M18C-BR	1	250 x 148	85
MIN-M12C-ST	MIN-M12C-BR	1	250 x 148	120
MIN-MM6C-ST	MIN-MM6C-BR	2	200 x 200	65
MIN-MM8C-ST	MIN-MM8C-BR	2	200 x 200	85
MIN-MM2C-ST	MIN-MM2C-BR	2	200 x 200	120
MIN-M26C-ST	MIN-M26C-BR	2	233 x 250	65
MIN-M28C-ST	MIN-M28C-BR	2	233 x 250	85
MIN-M22C-ST	MIN-M22C-BR	2	233 x 250	120
MIN-M36C-ST	MIN-M36C-BR	3	320 x 250	65
MIN-M38C-ST	MIN-M38C-BR	3	320 x 250	85
MIN-M32C-ST	MIN-M32C-BR	3	320 x 250	120
MIN-M06C-ST	MIN-M06C-BR	3	300 x 300	65
MIN-M08C-ST	MIN-M08C-BR	3	300 x 300	85
MIN-M02C-ST	MIN-M02C-BR	3	300 x 300	120
MIN-M46C-ST	MIN-M46C-BR	4	407 x 250	65
MIN-M48C-ST	MIN-M48C-BR	4	407 x 250	85
MIN-M42C-ST	MIN-M42C-BR	4	407 x 250	120

First Issued: 2025-08-22

Latest Issue: 2025-08-22

Effective Date: 2025-08-22

Expiry Date: 2026-08-21

Page: 4 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Certificate of Conformity

No. CNF 823790

BS EN 60670-23:2008
Minima series Floor Box (continued)

Product Code		Number of compartments/ outlet plates	Lid-frame size (mm)	Base box depth (mm)
Stainless Steel	Brass			
MIN-RL6R-ST	MIN-RL6R-BR	3	289	65
MIN-RL8R-ST	MIN-RL8R-BR	3	289	85
MIN-RL2R-ST	MIN-RL2R-BR	3	289	120
MIN-RL6S-ST	MIN-RL6S-BR	3	289	65
MIN-RL8S-ST	MIN-RL8S-BR	3	289	85
MIN-RL2S-ST	MIN-RL2S-BR	3	289	120
MIN-RO8R-ST	MIN-RO8R-BR	2	193	85
MIN-RO2R-ST	MIN-RO2R-BR	2	193	120
MIN-RO8S-ST	MIN-RO8S-BR	2	193	85
MIN-RO2S-ST	MIN-RO2S-BR	2	193	120
MIN-RS6R-ST	MIN-RS6R-BR	1	127	65
MIN-RS8R-ST	MIN-RS8R-BR	1	127	85
MIN-RS2R-ST	MIN-RS2R-BR	1	127	120
MIN-RS6S-ST	MIN-RS6S-BR	1	127	65
MIN-RS8S-ST	MIN-RS8S-BR	1	127	85
MIN-RS2S-ST	MIN-RS2S-BR	1	127	120

First Issued: 2025-08-22
Latest Issue: 2025-08-22

Effective Date: 2025-08-22
Expiry Date: 2026-08-21

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

Certificate of Conformity

No. CNF 823790

BS EN 60670-23:2008:
2000 series Floor Box

Composite construction, for installation in floors subjected to dry treatment, -5 °C to +60 °C, removable lid.

Report number(s): 30378183 (GJW2025-1084BSI-3)

Part code	Number of compartments/ outlet plates	Lid-frame size (mm)	Base box depth
SBOX-2355C	3	300 x 217	55
SBOX-2355U3	3		55
SBOX-2355FF	3		55
SBOX-2365C	3		65
SBOX-2365U3	3		65
SBOX-2365FF	3		65
SBOX-2385C	3		85
SBOX-2385U3	3		85
SBOX-2320C	3		120
SBOX-2455C	4		55
SBOX-2465C	4		65
SBOX-2465U3	4		65
SBOX-2485C	4		85
SBOX-2485U3	4		85
SBOX-2420C	4		120

First Issued: 2025-08-22

Latest Issue: 2025-08-22

Effective Date: 2025-08-22

Expiry Date: 2026-08-21

Page: 6 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Certificate of Conformity

No. CNF 823790

BS EN 60670-23:2008
500 series Floor Box

Composite construction, for installation in floors subjected to dry treatment, -5 °C to +60 °C, removable lid.

Report number(s): 30378183 (GJW2025-1084BSI-4)

Product code	Number of compartments/ outlet plates	Lid-frame size (mm)	Base box depth (mm)
SBOX-514	1	126x230	55
SBOX-518	1	126x230	65
SBOX-516	1	126x230	85
SBOX-512	1	126x230	120
SBOX-524	2	213x230	55
SBOX-528	2	213x230	65
SBOX-526	2	213x230	85
SBOX-522	2	213x230	120
SBOX-504	3	300x230	55
SBOX-508	3	300x230	65
SBOX-506	3	300x230	85
SBOX-502	3	300x230	120
SBOX-544	4	387x230	55
SBOX-548	4	387x230	65
SBOX-546	4	387x230	85
SBOX-542	4	387x230	120
SBOX-505-U2/U3	3	300x230	55
SBOX-508-U2/U3	3	300x230	65
SBOX-FF12-502	3	300x230	55
SBOX-FF13-503	3	300x230	65
SBOX-FF15-503	4	387x230	65

First Issued: 2025-08-22

Latest Issue: 2025-08-22

Effective Date: 2025-08-22

Expiry Date: 2026-08-21

Page: 7 of 7

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.